Parkinson's Symptoms Diary



66

Many symptoms of Parkinson's can be bothersome and interfere with day-to-day quality of life. Patient and family observations can help the medical team make a care plan. Fill out this worksheet and share it with providers to see if there is a pattern to when Parkinson's symptoms occur.

Morning

TIME	MEDICATION	MEAL	SLEEP
5:00 am			
5:30 am			
6:00 am			
6:30 am			
7:00 am			
7:30 am			
8:00 am			
8:30 am			
9:00 am			
9:30 am			
10:00 am			
10:30 am			
11:00 am			
11:30 am			

FILLED OUT BY: DATE:

List the symptoms you want to track - e.g., tremor, dyskinesia, anxiety - in the top row.

When those symptoms occur, fill in the number that corresponds to the severity at that time.

Write medication names and doses next to the times at which the person with Parkinson's takes them.

Put an X (or list foods) in the "Meal" column at mealtimes.

Put an X in the "Sleep" column when the person with Parkinson's sleeps.

0 = NONE

- 1 = SLIGHT OR MILD
- 2 = MODERATE, BOTHERSOME
- 3 = SEVERE, VERY BOTHERSOME

SYMPTOMS List 3

			NOTES
0 1 2 3	0 1 2 3	0 1 2 3	
0 1 2 3	0 1 2 3	0 1 2 3	
0 1 2 3	0 1 2 3	0 1 2 3	
0 1 2 3	0 1 2 3	0 1 2 3	
0 1 2 3	0 1 2 3	0 1 2 3	
0 1 2 3	0 1 2 3	0 1 2 3	
0 1 2 3	0 1 2 3	0 1 2 3	
0 1 2 3	0 1 2 3	0 1 2 3	
0 1 2 3	0 1 2 3	0 1 2 3	
0 1 2 3	0 1 2 3	0 1 2 3	
0 1 2 3	0 1 2 3	0 1 2 3	
0 1 2 3	0 1 2 3	0 1 2 3	
0 1 2 3	0 1 2 3	0 1 2 3	
0 1 2 3	0 1 2 3	0 1 2 3	

Afternoon & Evening

TIME	MEDICATION	MEAL	SLEEP
12:00 pm			
12:30 pm			
1:00 pm			
1:30 pm			
2:00 pm			
2:30 pm			
3:00 pm			
3:30 pm			
4:00 pm			
4:30 pm			
5:00 pm			
5:30 pm			
6:00 pm			
6:30 pm			
7:00 pm			
7:30 pm			
8:00 pm			

0 = NONE

1 = SLIGHT OR MILD

2 = MODERATE, BOTHERSOME

3 = SEVERE, VERY BOTHERSOME

SYMPTOMS List 3

			NOTES
0 1 2 3	0 1 2 3	0 1 2 3	
0 1 2 3	0 1 2 3	0 1 2 3	
0 1 2 3	0 1 2 3	0 1 2 3	
0 1 2 3	0 1 2 3	0 1 2 3	
0 1 2 3	0 1 2 3	0 1 2 3	
0 1 2 3	0 1 2 3	0 1 2 3	
0 1 2 3	0 1 2 3	0 1 2 3	
0 1 2 3	0 1 2 3	0 1 2 3	
0 1 2 3	0 1 2 3	0 1 2 3	
0 1 2 3	0 1 2 3	0 1 2 3	
0 1 2 3	0 1 2 3	0 1 2 3	
0 1 2 3	0 1 2 3	0 1 2 3	
0 1 2 3	0 1 2 3	0 1 2 3	
0 1 2 3	0 1 2 3	0 1 2 3	
0 1 2 3	0 1 2 3	0 1 2 3	
0 1 2 3	0 1 2 3	0 1 2 3	
0 1 2 3	0 1 2 3	0 1 2 3	

Night

TIME	MEDICATION	MEAL	SLEEP
8:30 pm			
9:00 pm			
9:30 pm			
10:00 pm			
10:30 pm			
11:00 pm			
11:30 pm			
12:00 am			
12:30 am			
1:00 am			
1:30 am			
2:00 am			
2:30 am			
3:00 am			
3:30 am			
4:00 am			
4:30 am			

0 = NONE

1 = SLIGHT OR MILD

2 = MODERATE, BOTHERSOME

3 = SEVERE, VERY BOTHERSOME

SYMPTOMS List 3

			NOTES
0 1 2 3	0 1 2 3	0 1 2 3	
0 1 2 3	0 1 2 3	0 1 2 3	
0 1 2 3	0 1 2 3	0 1 2 3	
0 1 2 3	0 1 2 3	0 1 2 3	
0 1 2 3	0 1 2 3	0 1 2 3	
0 1 2 3	0 1 2 3	0 1 2 3	
0 1 2 3	0 1 2 3	0 1 2 3	
0 1 2 3	0 1 2 3	0 1 2 3	
0 1 2 3	0 1 2 3	0 1 2 3	
0 1 2 3	0 1 2 3	0 1 2 3	
0 1 2 3	0 1 2 3	0 1 2 3	
0 1 2 3	0 1 2 3	0 1 2 3	
0 1 2 3	0 1 2 3	0 1 2 3	
0 1 2 3	0 1 2 3	0 1 2 3	
0 1 2 3	0 1 2 3	0 1 2 3	
0 1 2 3	0 1 2 3	0 1 2 3	
0 1 2 3	0 1 2 3	0 1 2 3	

Notes:		